

PRODUCT: TRIPLE C #540

SECTION 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER: T. DONOVAN & SON (1997) LTD.

700 WILSON STREET

SAINT JOHN, NEW BRUNSWICK

CANADA E2M 3V2

TOLL FREE: 1-888-799-2645 / LOCAL (506) 642-1500

PRODUCT NAME: Triple C #540

MATERIAL USE: Cooling Tower Inhibitor Treatment

EMERGENCY PHONE NUMBER: (613)-996-6666

SECTION 02: HAZARDS IDENTIFICATION



SIGNAL WORD: DANGER

HAZARD CLASSIFICATION: Corrosive to Metals - Category 1.

Skin Corrosion/Irritation - Category 1.

Serious Eye Damage/Irritation - Category 1.

HAZARD STATEMENT: H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

PRECAUTIONARY STATEMENT: P234: Keep only in original container.

P260: Do not breathe mist or vapour. **P264:** Wash skin thoroughly after handling.

P280: Wear protective gloves, protective clothing and eye protection or face

protection.

P301+ P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+ P361+ P353: IF ON SKIN (or hair): Remove immediately all contaminated

clothing. Rinse skin with water.

P304+ P340: IF INHALED: Remove victim to fresh air and Keep at rest in a position

comfortable for breathing.

P305+ P351+ P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or physician. **P321:** Specific treatment (see information on this label).

P363: Wash contaminated clothing before reuse.

P390: Absorb spillage to prevent material damage.

P405: Store locked up.

P406: Store in corrosive resistant/container with a resistant inner liner. **P501:** Dispose of contents/container to an approved waste disposal plant.

HAZARDS NOT OTHERWISE CLASSIFIED

(HNOC):

None.

ADDITIONAL INFORMATION: None.

SECTION 03: COMPOSITION/INFORMATION ON INGREDIENTS					
INGREDIENT(S) CAS # WT. %					
Potassium Hydroxide 1310-58-3 10 - 15					

Definitions:

CAS - Chemical Abstract Service registry number.

WT. % - Percent Weight.



PRODUCT: TRIPLE C #540

	SECTION 04: FIRST AID MEASURES
GENERAL ADVICE:	Move out of dangerous area. Perform first aid measures as indicated. Seek immediate medical attention and show this safety data sheet to attending physician.
IF INHALED:	Move to fresh air and keep at rest in a position comfortable for breathing. If breathing difficulty occurs or persists seek immediate medical attention.
IN CASE OF SKIN CONTACT:	Immediately flush exposed skin with water for at least 15 minutes while removing contaminated clothing and/or shoes. Seek immediate medical attention.
IN CASE OF EYE CONTACT:	Immediately flush eyes with water for at least 15 minutes, lifting the upper and lower eyelids intermittently. Check for and remove any contact lenses if easy to do. Seek immediate medical attention.
IF SWALLOWED:	Rinse mouth with water. Do not induce vomiting. Seek immediate medical attention.
THE MOST IMPORTANT SYMPTOMS AND EFFECTS, WHETHER ACUTE OR DELAYED:	No Information Available.
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:	No Information Available.

SECTION 05: FIRE FIGHTING MEASURES		
FLAMABILITY:	See Section 16 - Other Information.	
SUITABLE EXTINGUISHING MEDIA:	Use extinguishing media suitable for surrounding fire or source of fire. Use water spray to cool fire exposed containers.	
UNSUITABLE EXTINGUISHING MEDIA:	No Information Available.	
SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:	No Information Available.	
PRECAUTIONS FOR FIREFIGHTERS:	No Information Available.	
FIREFIGHTING INSTRUCTIONS:	No Information Available.	
PROTECTION DURING FIREFIGHTING:	Wear full protective gear and full face pressure demand self-contained breathing apparatus.	
OTHER INFORMATION:	No additional information available.	

SECTION 06: ACCIDENTAL RELEASE MEASURES			
PERSONAL PRECAUTIONS:	Avoid direct contact with skin, eyes and clothing. Avoid inhalation of mist, vapor or dust. Wear appropriate personal protective equipment as outlined in Section 8 of this SDS.		
ENVIRONMENTAL PRECAUTIONS:	Prevent further leakage or spillage if safe to do so. Contain spilled material and prevent run-off onto ground or into water sources or sewers.		
METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP:	Neutralize with appropriate acidic material if possible. Absorb on inert material and place in containers for disposal. Dispose of spilled/collected material in accordance with all Federal. Provincial and local regulations.		

SECTION 07: HANDLING AND STORAGE				
PRECAUTIONS FOR SAFE HANDLING:	Avoid contact with skin and eyes. Avoid inhalation of mist, vapor and dust. Ensure adequate ventilation. Do not eat, drink or smoke while handling. Wear appropriate			

personal protective equipment as outlined in Section 8 of this SDS.

CONDITIONS FOR SAFE STORAGE: Store in original container. Keep container tightly closed. Store at room temperature (10-32.2°C (50-90°F)) in a dry well-ventilated area.

	SECTION 08: EXPOSURE CONTROLS/PERSONAL PROTECTION				
INGREDIENT(S)	DATA SOURCE	EXPOSURE FORM	EXPOSURE VALUE	EXPOSURE NOTES	
Potassium Hydrovida	Occupational Safety and Health Administration	Time Weighted Average	3 ma/m ³	_	

(OSHA) permissible exposure limit (PEL)



PRODUCT: TRIPLE C #540

SECTION 08: EXPOSURE CONTROLS/PERSONAL PROTECTION			
ENGINEERING CONTROLS:	Use local and/or general exhaust ventilation to maintain air born concentrations		
	below irritating levels or exposure limits. An eyewash and safety shower should be available in the work area.		
EYE/FACE PROTECTION:	Safety glasses or chemical goggles should be worn when handling this material.		
SKIN AND BODY PROTECTION:	Hand Protection: Wear chemical resistant gloves when handling.		
RESPIRATORY PROTECTION:	Wear respiratory protection if mist or vapor is produced, while using this material		
GENERAL HYGIENE CONSIDERATIONS:	Follow good hygiene and safety practice. Wash hands and exposed skin before breaks and at the end of the work day. Do not eat, drink or smoke while handling this material. Do not wear contaminated or dirty clothing home from the work-site. Launder contaminated or dirty clothing before reuse.		
OTHER/TYPE:	Wear chemical resistant apron when handling.		

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Light Amber Liquid.

ODOUR: Mild.

ODOUR THRESHOLD: No Data Available.

pH: 13.5.

MELTING POINT/FREEZING POINT: No Data Available. **INITIAL BOILING POINT:** No Data Available. **FLASH POINT:** No Data Available. **EVAPORATION RATE:** No Data Available. FLAMMABILITY (SOLIDS AND GASES): No Data Available. LOWER FLAMMABILITY LIMIT: No Data Available. **UPPER FLAMMABLE LIMIT:** No Data Available. LOWER EXPLOSIVE LIMIT: No Data Available. No Data Available. **UPPER EXPLOSIVE LIMIT: VAPOUR PRESSURE:** No Data Available. VAPOUR DENSITY: No Data Available. **RELATIVE DENSITY:**

SPECIFIC GRAVITY: 1.18. **SOLUBILITY IN WATER:** Complete.

AUTO IGNITION TEMPERATURE: No Data Available. **PARTITION COEFFICIENT** No Data Available.

N-OCTANOL/WATER:

No Data Available.

DECOMPOSITION TEMPERATURE: No Data Available. **VISCOSITY:** No Data Available. **DENSITY:** No Data Available.

SECTION 10: STABILITY AND REACTIVITY		
REACTIVITY:	Not reactive under normal use conditions.	
CHEMICAL STABILITY:	Material is stable under normal handling and storage conditions.	
POSSIBILITY OF HAZARDOUS REACTIONS:	Hazardous polymerization will not occur.	
CONDITIONS TO AVOID:	Avoid excessive heating, freezing and chemical contamination.	
INCOMPATIBLE MATERIALS:	Avoid contact with oxidizers and strong acids.	
DECOMPOSITION PRODUCTS:	No decomposition products are expected under normal storage and handling conditions.	



PRODUCT: TRIPLE C #540

SECTION 11: TOXICOLOGICAL INFORMATION

INFORMATION ON THE LIKELY ROUTES OF EXPOSURE:

INHALATION: No Information Available.

SKIN CONTACT: This material is corrosive and can cause severe, permanent damage.

EYE CONTACT: This material is irritating and corrosive to the eyes and can cause serious injury and

permanent eye damage.

INGESTION: No Information Available.

SYMPTOMS RELATED TO THE

PHYSICAL, CHEMICAL AND

No Information Available.

TOXICOLOGICAL CHARACTERISTICS:
DELAYED AND CHRONIC EFFECTS:

There are no known effects of chronic exposure other than those experienced

through acute exposure.

NUMERICAL MEASURES OF TOXICITY:

COMPONENTS	EXPOSURE	SPECIES	DOSE	NOTES
Potassium Hydroxide	No Information Available			
ACUTE TOXICITY:	Mixture	Mixture - No Information Available.		
SKIN CORROSION / IRRIT.	ATION: Mixture	e - Corrosive to skin.		
SERIOUS EYE DAMAGE / IRRITATION:	EYE Mixture	e - Corrosive to the eyes.		
RESPIRATORY OR SKIN S	ENSITIZATION: Mixture	e - No Information Available.		
SKIN SENSITIZATION:	Mixture	e - No Information Available.		
GERM CELL MUTAGENIC	TY: Mixture	e - No Information Available.		
CARCINOGENICITY:	Mixture	e - This product is considere	d to be a potential carcir	logen by:
		National Toxicolog	y Program (NTP) - No.	
		OSHA - No.		
		International Agen	cy for Research on Can	cer (IARC) - No.
REPRODUCTIVE TOXICITY	f: Mixture effects	e - This product is not expect.	ted to cause reproductiv	e and developmental
SPECIFIC TARGET ORGAI (STOT)- SINGLE EXPOSUR	Mixtur	Mixture - No Information Available.		
STOT - REPEAT EXPOSUR	RE: Mixture	e - No Information Available.		
ASPIRATION HAZARD:	Mixture	Mixture - This product is not an aspiration hazard.		
ADDITIONAL INFORMATION	None.			

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: No Information Available.

COMPONENTS	EXPUSURE	SPECIES	DOSE	NOTES
Potassium Hydroxide:		No Information Available		
PERSISTENCE AND DEGR	RADABILITY: Mixture	- No Information Available.		
BIOACCUMULATIVE POTI	ENTIAL: Mixture	- No Information Available.	•	
MOBILITY IN SOIL:	Mixture	- No Information Available.		
OTHER ADVERSE EFFECT	TS: Mixture	- No Information Available.	•	
ADDITIONAL INFORMATION	ON: No Info	rmation Available.		



PRODUCT: TRIPLE C #540

SECTION 13: DISPOSAL CONSIDERATIONS		
DISPOSAL METHODS:	Dispose of material in accordance with all Federal, Provincial and local regulations.	
CONTAMINATED PACKAGING:	Triple rinse container and offer for recycling. Dispose of container following all Federal, Provincial and local regulations.	
ADDITIONAL INFORMATION:	No additional information available.	

SECTION 14: TRANSPORT INFORMATION

Transportation of Dangerous Goods

(TDG):

Regulated.

United States (US) Department of

Regulated.

Transportation (DOT): **UNITED NATIONS (UN) NUMBER:**

UN3266

PROPER SHIPPING NAME:

UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM

HYDROXIDE), 8, PG II.

TRANSPORT HAZARD CLASS: **PACKING GROUP:** II. PACKAGING EXCEPTIONS: None. SUBSIDARY RISK None.

SECTION 15: REGULATORY INFORMATION

WORKPLACE HAZARDOUS MATERIALS

INFORMATION SYSTEM (WHMIS)

CLASSIFICATION:

E.

HAZARDOUS PRODUCT REGULATIONS

CANADIAN INGREDIENT DISCLOSURE

(HPR) COMPLIANCE:

This product has been classified in accordance with the hazard criteria of the HPR

and the SDS contains all the information required by the HPR.

LIST SUBSTANCES:

None Listed.

UNITED STATES (US) FEDERAL REGULATIONS:

Superfund Amendments and Reauthorization Act (SARA):

Immediate (Acute) Health Hazard.

Reactivity Hazard.

SARA 302 Extremely Hazardous Substance: Not listed. SARA 304 Emergency Release Notification: Not regulated.

SARA 311/312 Hazardous Chemical: No.

SARA 313 Toxic Release Inventory (TRI) Report: Not regulated.

Federal Insecticide, Fungicide, and

Rodenticide Act (FIFRA):

This chemical is not a pesticide product.

Comprehensive Environmental

Response, Compensation and Liability

Act (CERCLA):

None Listed.

Clean Air Act Regulated Substances:

Clean Water Act Regulated

None.

Substances:

None.

US STATE OR LOCAL REGULATIONS: None.

SECTION 16: OTHER INFORMATION

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (HMIS) Hazard ID:

HEALTH	3
FLAMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	С



Page 6

PRODUCT: TRIPLE C #540

SECTION 16: OTHER INFORMATION

National Fire Protection Association (NFPA):



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

PREPARED BY: T. Donovan & Son (1997) Ltd.

PREPARATION DATE: May 2018

DISCLAIMER:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. Regulatory requirements are subject to change and may differ between various locations. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.