

SAFETY DATA SHEET

PRODUCT: TRIPLE C 749L


MANUFACTURER:

SECTION 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:
CHEMICAL FORMULA:
CHEMICAL FAMILY:
MATERIAL USE:
EMERGENCY PHONE NUMBER:

T. DONOVAN & SON (1997) LTD. 700 WILSON STREET SAINT JOHN, NEW BRUNSWICK CANADA E2M 3V2 TOLL FREE: 1-888-799-2645 / LOCAL (506) 642-1500 TRIPLE C 749L NaHSO3 Inorganic Sodium Salt. Sulfite Oxygen Scavenger Treatment. (613)-996-6666

SECTION 02: HAZARDS IDENTIFICATION





PRODUCT: TRIPLE C 749L

SECTION 03: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT(S)	CAS #	WT. %
Sodium Bisulfite	7631-90-5	30 - 35

Definitions:

CAS - Chemical Abstract Service registry number. WT. % - Percent Weight.

SECTION 04: FIRST AID MEASURES					
GENERAL ADVICE:	Move out of dangerous area. Perform first aid measures as indicated. Seek medica attention and show this safety data sheet to attending physician.				
IF INHALED:	Move to fresh air and keep at rest in a position comfortable for breathing. If breathing difficulty occurs or persists, seek immediate medical attention. If not breathing give artificial respiration and seek immediate medical attention.				
IN CASE OF SKIN CONTACT:	Immediately flush exposed skin with water for at least 15 minutes while removing contaminated clothing and/or shoes. Thoroughly wash with soap and water. Seek medical attention if irritation develops or persists.				
IN CASE OF EYE CONTACT:	Immediately flush eyes with water for at least 15 minutes, lifting the upper and lower eyelids intermittently. Check for and remove any contact lenses if easy to do. Seek medical attention if irritation develops or persists.				
IF SWALLOWED:	Rinse mouth with water. Do not induce vomiting. Seek immediate medical attention.				
THE MOST IMPORTANT SYMPTOMS AND EFFECTS, WHETHER ACUTE OR DELAYED:	No Information Available.				

SECTION 05: FIRE FIGHTING MEASURES			
SUITABLE EXTINGUISHING MEDIA:	Use extinguishing media suitable for surrounding fire or source of fire. Use water spray to cool fire exposed containers.		
SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:	In fire conditions after water loss, combustion may produce sulfur oxides and other unidentified chemical compounds.		
SPECIAL PROCEDURES:	No Information Available.		
PROTECTION DURING FIREFIGHTING:	Wear full protective gear and full-face pressure demand self-contained breathing apparatus.		

SECTION 06: ACCIDENTAL RELEASE MEASURES				
PERSONAL PRECAUTIONS:	Avoid direct contact with skin, eyes and clothing. Avoid inhalation of mist, vapor or dust. Wear appropriate personal protective equipment as outlined in Section 8 of this SDS.			
ENVIRONMENTAL PRECAUTIONS:	Prevent further leakage or spillage if safe to do so. Contain spilled material and prevent run-off onto ground or into water sources or sewers.			
METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP:	Absorb on inert material and place in containers for disposal. Dispose of spilled/collected material in accordance with all Federal, Provincial and local regulations.			

SECTION 07: HANDLING AND STORAGE				
PRECAUTIONS FOR SAFE HANDLING:	Avoid contact with skin and eyes. Avoid inhalation of mist, vapor and dust. Ensure adequate ventilation. Do not eat, drink or smoke while handling. Wear appropriate personal protective equipment as outlined below in Section 8.			
CONDITIONS FOR SAFE STORAGE:	Store in original container. Keep container tightly closed. Store at room temperature (50-90 F) in a dry well-ventilated area.			



PRODUCT: TRIPLE C 749L

SECTION 08: EXPOSURE CONTROLS/PERSONAL PROTECTION									
		ACGIH TLV	OSHA PEL NIOSH		V OSHA PEL		ACGIH TLV OSHA PEL		NIOSH
INGREDIENT(S)	TWA	STEL	PEL	STEL	REL				
Sodium Bisulfite	-	5 mg/m ³	-	-	-				
Definitions:RELs - Recommended Exposure Limits.ACGIH - American Conference of Governmental Industrial Hygienists.RELs - Recommended Exposure Limits.NIOSH - National Institute for Occupational Safety and Health.STEL - Short-term Exposure Limit.OSHA - Occupational Safety and Health Administration.TLV - Threshold Limit Value.PEL - Permissible Exposure Limit.TWA - Time Weighted Average.									
ENGINEERING CONTI	ROLS:	below irritating levels	Use local and/or general exhaust ventilation to maintain air-born concentrations below irritating levels or exposure limits. An eyewash and safety shower should be available in the work area.						
EYE/FACE PROTECT	ION:	Safety glasses or che	Safety glasses or chemical goggles should be worn when handling this material.						
SKIN AND BODY PRO	DTECTION	 Wear chemical resist handling. 	Wear chemical resistant gloves when handling. Wear chemical resistant apron when handling.						
RESPIRATORY PROT	ECTION:	Wear respiratory pro	Wear respiratory protection while using this material.						
GENERAL HYGIENE	CONSIDE	breaks and at the en material. Do not wea Launder contaminate	Follow good hygiene and safety practice. Wash hands and exposed skin before breaks and at the end of the work day. Do not eat, drink or smoke while handling this material. Do not wear contaminated or dirty clothing home from the work-site. Launder contaminated or dirty clothing before reuse.						
OTHER/TYPE:		No additional informa	ation ava	ilable.					

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES		
PHYSICAL STATE:	Colorless Liquid.	
ODOUR:	Strong Sulfide.	
ODOUR THRESHOLD:	Not Available.	
PH:	5.5.	
MELTING POINT/FREEZING POINT:	No Data Available.	
BOILING POINT:	No Data Available.	
FLASH POINT, METHOD:	No Data Available.	
EVAPORATION RATE:	No Data Available.	
FLAMMABILITY (SOLIDS AND GASES):	No Data Available.	
UPPER FLAMMABLE LIMIT (% BY VOL):	No Data Available.	
LOWER FLAMMABLE LIMIT (% BY VOL):	No Data Available.	
VAPOUR PRESSURE:	No Data Available.	
VAPOUR DENSITY (AIR=1):	No Data Available.	
SPECIFIC GRAVITY (WATER=1):	1.25	
SOLUBILITY IN WATER (% W/W):	Soluble.	
AUTO IGNITION TEMPERATURE:	No Data Available.	
PARTITION COEFFICIENT N-OCTANOL/WATER:	No Data Available.	
DECOMPOSITION TEMPERATURE:	No Data Available.	
VISCOSITY:	No Data Available.	

SECTION 10: STABILITY AND REACTIVITY		
REACTIVITY:	Not reactive under normal use conditions.	
CHEMICAL STABILITY:	Material is stable under normal handling and storage conditions.	
POSSIBILITY OF HAZARDOUS REACTIONS:	Hazardous polymerization will not occur under normal handling and storage.	
CONDITIONS TO AVOID:	Avoid excessive heating, freezing and chemical contamination.	
INCOMPATIBLE MATERIALS:	Avoid contact with oxidizers and strong acids.	
HAZARDOUS DECOMPOSITION PRODUCTS:	Sulfur dioxide, sulfur oxides and toxic vapors can result from heating or chemical contamination.	



PRODUCT: TRIPLE C 749L

SECTION 11: TOXICOLOGICAL INFORMATION						
INGREDIENT(S)	Exposure	Species	Dose			
Sodium Bisulfite:	LD50	Rat	1420 mg/kg			
ACUTE TOXICITY: ORAL: INHALATION:	May be corrosive to the gastrointestinal tract. May cause severe irritation and burns. May be corrosive to the respiratory tract. May be irritating and cause coughing, shortness of breath and allergic reaction in some individuals. May cause severe allergic reaction in some asthmatics and sulfite sensitive individuals.					
SKIN CONACT:	May be corrosive to the s	kin. May cause severe irritation	and burns.			
RESPIRATORY OR SKIN SENSITIZATION:	Mixture - Yes.					
EYE CONTACT:	May be corrosive to the e	eyes. May cause severe irritation	and burns.			
GERM CELL MUTAGENICITY:	No Information Available.					
CARCINOGENICITY:	National Toxico OSHA: No.	s considered to be a potential ca blogy Program (NTP): No. gency for Research on Cancer (
REPRODUCTIVE TOXICITY:	This product is not expec	ted to cause reproductive and d	evelopmental effects.			
SPECIFIC TARGET ORGAN TOXICITY (STOT) - SINGLE EXPOSURE:	No Information Available.					
STOT - REPEAT EXPOSURE:	No Information Available.					
MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE:	No Information Available.	No Information Available.				
ASPIRATION HAZARD:		This product is not an aspiration hazard.				
POTENTIAL HEALTH EFFECTS:	No Information Available.					
SIGNS AND SYMPTOMS OF EXPOSURE:	No Information Available.					
SE	CTION 12: ECOLOGIC	AL INFORMATION				
PERSISTENCE AND DEGRADABILITY:	No Information Available.					
BIOACCUMULATIVE POTENTIAL:	No Information Available.					
ECOTOXICITY:	Sodium Bisulfite Fish Toxicity: LC50. Gan	nbusia affinis (Mosquito Fish), 2	40 ma/L (96 hr).			
MOBILITY IN SOIL:	No Information Available.	,				
OTHER ADVERSE EFFECTS:	No Information Available.					
	CTION 13: DISPOSAL (
DISPOSAL METHODS:	•	cordance with all Federal, Provir	-			
PACKAGING:	Triple rinse container and Federal, Provincial, and lo	l offer for recycling. Dispose of ocal regulations.	container following all			
SECTION 14: TRANSPORT INFORMATION						
Transportation of Dangerous Goods	Regulated.					
(TDG): United States (US) Department of	0					
Transportation (DOT):	Regulated.					
UNITED NATIONS (UN) NUMBER:	2693					
TRANSPORT HAZARD CLASS:	8					
PACKING GROUP:	III					
PROPER SHIPPING NAME:	UN2693, BISULFITES, AQUEOUS SOLUTIONS, N.O.S. (SODIUM BISULFITE), 8, PGIII.					
SPECIAL SHIPPING INSTRUCTIONS:	None.					



SAFETY DATA SHEET

PRODUCT: TRIPLE C 749L

SECTION 15: REGULATORY INFORMATION			
WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM (WHMIS) CLASSIFICATION:	Class D-2A, D-2B, E.		
CANADIAN INGREDIENT DISCLOSURE LIST SUBSTANCES:	None Listed.		
UNITED STATES (US) FEDERAL REGULATIONS:			
Superfund Amendments and Reauthorization Act (SARA):	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		
	SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. SARA 311/312 Hazards: Acute Health Hazard - Yes.		
OSHA HazCom Standard Rating:	Harmful by Ingestion.		
Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):	Sodium Bisulfite: Listed.		
Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA):	This chemical is not a pesticide product.		
Clean Air Act Regulated Substances:	None.		
Clean Water Act Regulated Substances:	Sodium Bisulfite.		
US STATE OR LOCAL REGULATIONS:			
California Proposition 65:	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.		

INGREDIENT(S)	New Jersey	Massachusetts	Pennsylvania
Sodium Bisulfite	Х	Х	Х
Water	Х	Not Established	Х

SECTION 16: OTHER INFORMATION

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (HMIS) Hazard ID:

HEALTH	2
FLAMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	Н

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; *-Chronic health effect

National Fire Protection Association (NFPA):



PREPARED BY: PREPARATION DATE: T. Donovan & Son (1997) Ltd. May 2018.

DISCLAIMER:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. Regulatory requirements are subject to change and may differ between various locations. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.